L Number	Hits	Search Text	DB	Time stamp
1	4291	writ\$3 near10 overlap\$4	USPAT;	2003/12/22 11:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
2	152	((writ\$3 or output\$4) adj data) near10	USPAT;	2003/12/22 11:18
2	132	overlap\$4 near10 (stor\$3 or read\$3)	US-PGPUB;	2005/12/22 11:10
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
3	29		USPAT;	2003/12/22 11:36
		(read\$3 adj data)	US-PGPUB; EPO; JPO;	
		:	DERWENT;	
			IBM TDB	
4	356	(writ\$3 adj data) near10 (overlap\$4 or	USPAT;	2003/12/22 11:24
		pipeline or parallel) near10 (read\$3 adj	US-PGPUB;	
		data)	EPO; JPO;	
			DERWENT;	
_	1.65	(	IBM_TDB	2002/12/22 11-04
5	165	(writ\$3 adj data) near5 (overlap\$4 or pipeline or parallel) near5 (read\$3 adj	USPAT; US-PGPUB;	2003/12/22 11:24
		data)	EPO; JPO;	
		, data,	DERWENT;	
			IBM TDB	
6	1127932	(writ\$3 adj data) near5 (overlap\$4 or	USPĀT;	2003/12/22 11:25
		pipeline or parallel) near5 (read\$3 adj	US-PGPUB;	
		data) enar10 cell	EPO; JPO;	
			DERWENT;	
7	17	   (writ\$3 adj data) near5 (overlap\$4 or	IBM_TDB USPAT;	2003/12/22 11:36
'	17	pipeline or parallel) near5 (read\$3 adj	US-PGPUB;	2003/12/22 11.30
		data) near10 cell	EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
8	1503	(writ\$3) near10 overlap\$4 near10 (read\$3)	USPAT;	2003/12/22 11:37
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
9	203	(writ\$3 near5 data) near5 overlap\$4 near5	USPAT;	2003/12/22 11:38
		(read\$3 near5 data)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	0	   adad<=19990622	IBM_TDB USPAT;	2003/12/22 11:39
		100002	US-PGPUB;	2003/12/22 11.39
			EPO; JPO;	
			DERWENT;	
	. <b></b>		IBM_TDB	
11	17917686	@ad<=19990622	USPAT;	2003/12/22 11:39
]			US-PGPUB;	
			EPO; JPO; DERWENT;	
1			IBM TDB	
12	141	((writ\$3 near5 data) near5 overlap\$4 near5	USPAT;	2003/12/22 11:39
[		(read\$3 near5 data)) and @ad<=19990622	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	468	("same" adj memory adj cell) near5 (writ\$3	<pre>IBM_TDB USPAT;</pre>	2003/12/20 13:38
	400	or stor\$3)	US-PGPUB;	2003/12/20 13:30
	}		EPO; JPO;	
į l			DERWENT;	
			IBM_TDB	
	192	("same" adj memory adj cell) near5 (writ\$3	USPAT;	2003/12/20 13:38
		or stor\$3) near5 data	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
			TO:1 I DD	

				1 0 0 0 0 1 0 1 0 0 0 0 0 0 0 0 0 0 0 0
-	5	, +==== ,	USPAT;	2003/12/20 13:39
		or stor\$3) near5 (data near5 (register or	US-PGPUB;	
		buffer or FIFO))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	25	("same" adj memory adj cell) near5 (writ\$3	USPAT;	2003/12/20 13:44
		or stor\$3) near5 (register or buffer or	US-PGPUB;	
		FIFO)	EPO; JPO;	
		1110/	DERWENT;	
		(" " " )	IBM_TDB	0000/10/00 10 45
-	0	("same" adj memory adj cell) with (writ\$3	USPAT;	2003/12/20 13:45
		or stor\$3) with ((registered or buffered)	US-PGPUB;	
		adj data)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	17	(memory adj cell) with (writ\$3 or stor\$3)	USPAT;	2003/12/20 13:49
		with ((registered or buffered) adj data)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1 20	/	IBM_TDB	2002/10/00 12:54
-	39	(memory adj cell) with ((registered or	USPAT;	2003/12/20 13:54
1		buffered) adj data)	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	("same" adj cell) with ((registered or	USPAT;	2003/12/20 13:55
	1	buffered) adj data)	US-PGPUB;	
		24110104, 445 4464,	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	0000/40/00 40 55
-	0	("same" near5 cell) with ((registered or	USPAT;	2003/12/20 13:55
		buffered) adj data)	US-PGPUB;	İ
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	28	("same" near5 cell) with ((registered or	USPAT;	2003/12/20 13:57
		buffered) near10 data)	US-PGPUB;	2000, 12, 20 10.0.
	1	Bulleted, medilo data,	EPO; JPO;	
	1		DERWENT;	
	i		·	
	12700	/-t62	IBM_TDB	2002/10/00 12 50
_	13722	, (	USPAT;	2003/12/20 13:58
		buffered) near10 data)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2134	(stor\$3 or writ\$3) with ((registered or	USPAT;	2003/12/20 13:58
		buffered) adj data)	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
I _	1350	(stor\$3 or writ\$3) near5 ((registered or		2003/12/20 13:58
-	1350		USPAT;	2003/12/20 13:58
		buffered) adj data)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
-	9	(stor\$3 or writ\$3) near5 ((registered or	USPĀT;	2003/12/20 14:00
		buffered) adj data) near10 cell	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	12	(stor\$3 or writ\$3) near15 ((registered or	USPAT;	2003/12/20 14:12
	12		· ·	2003/12/20 14:12
1		buffered) adj data) with (memory near5	US-PGPUB;	
		cell)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(stor\$3 or writ\$3) near15 ((registered or	USPAT;	2003/12/20 14:03
		buffered) adj data) with ("same" near5	US-PGPUB;	
ļ		cell)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	1	1	ממז נועד	

_	0	((registered or buffered) adj data) with ("same" near5 cell)	USPAT; US-PGPUB;	2003/12/20 14:04
			EPO; JPO; DERWENT;	
_	5	((registered or buffered) adj data) same	IBM_TDB USPAT;	2003/12/20 14:05
		("same" near5 cell)	US-PGPUB;	2000, 22, 20 2000
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	62	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT; US-PGPUB;	2003/12/20 14:07
		("same" near5 (location or address or cell))	EPO; JPO;	
			DERWENT;	·
_	64	((registered or buffered) adj data) same	IBM_TDB USPAT;	2003/12/20 14:10
		(EEPROM or PROM or EPROM)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	6	(second near5 (registered or buffered) near5 data) with (memory near5 cell)	USPAT; US-PGPUB;	2003/12/20 14:11
		hears data, with (memory hears terr)	EPO; JPO;	
			DERWENT;	
_	5958	(second near5 data) with (memory near5	IBM_TDB USPAT;	2003/12/20 14:12
		cell)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	0000/10/00 14 10
-	554	(stor\$3 or writ\$3) near10 (second adj data) near10 (memory near5 cell)	USPAT; US-PGPUB;	2003/12/20 14:13
			EPO; JPO;	
			DERWENT; IBM TDB	
_	22		USPĀT;	2003/12/20 14:17
		data) near10 ("same" near5 memory near5 cell)	US-PGPUB; EPO; JPO;	
		3322,	DERWENT;	
_	41	(stor\$3 or writ\$3) near10 sequential\$2	IBM_TDB USPAT;	2003/12/20 14:20
		near10 ("same" near5 memory near5 cell)	US-PGPUB;	1000, 11, 10
			EPO; JPO; DERWENT;	
			IBM TDB	
-	4186	(stor\$3 or writ\$3) near10 ("same" near5 memory near5 cell)	USPAT; US-PGPUB;	2003/12/20 14:20
			EPO; JPO;	
			DERWENT; IBM TDB	
-	580	1 ' ' '	USPAT;	2003/12/20 14:22
		memory adj cell)	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	5	   (stor\$3 or writ\$3) near10 ((second or	IBM_TDB USPAT;	2003/12/20 14:24
		another) adj (register or buffer or FIFO))	US-PGPUB;	
		with ("same" adj memory adj cell)	EPO; JPO; DERWENT;	
	İ		IBM_TDB	
-	5	((second or another) adj (register or buffer or FIFO)) with ("same" adj memory	USPAT; US-PGPUB;	2003/12/20 14:24
		adj cell)	EPO; JPO;	
			DERWENT; IBM TDB	
-	104	(register or buffer or FIFO) with ("same"	USPAT;	2003/12/20 14:29
		adj memory adj cell)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	

			T	1 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0
-	695	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/12/20 14:29
	İ	adj cell)	US-PGPUB; EPO; JPO;	
	ļ		DERWENT;	
			IBM TDB	
_	580	(writ\$3 or stor\$3) near10 ("same" adj	USPAT;	2003/12/20 14:30
		memory adj cell)	US-PGPUB;	
			EPO; JPO;	
	,		DERWENT;	
	İ		IBM_TDB	
-	295	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/12/20 14:30
ł		("same" adj memory adj cell)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	0	/wit63 an atax63) magning /buffamad noom	IBM_TDB USPAT;	2003/12/20 14:31
-	,	(writ\$3 or stor\$3) near10 (buffered near5   data) near10 ("same" adj memory adj cell)	US-PGPUB;	2003/12/20 14:31
		data, hearto ( same adj memory adj cerr)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2372	(writ\$3 or stor\$3) near10 (buffered near5	USPAT;	2003/12/20 14:31
		data)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	13	(writ\$3 or stor\$3) near10 (buffered adj	USPAT;	2003/12/20 14:33
		data) with cell	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	5763	(writ\$3 or stor\$3) near10 (first and	USPAT;	2003/12/20 14:33
	3,03	second) near10 (memory adj cell)	US-PGPUB;	
		,,,,,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	351		USPĀT;	2003/12/20 14:34
		second) adj data) near10 (memory adj cell)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
l_		(writ\$3 or stor\$3) near10 ((first and	IBM_TDB USPAT;	2003/12/20 14:35
		second) adj data) near10 ("same" adj	US-PGPUB;	2003/12/20 14.33
		memory adj cell)	EPO; JPO;	
-		-1	DERWENT;	
			IBM TDB	
-	2	(writ\$3 or stor\$3) near10 (second adj	USPAT;	2003/12/20 14:37
		data) near10 ("same" adj memory adj cell)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	,
1_	,	(second add data) near 10 ("serre" add	IBM_TDB	2002/12/20 14:27
-	4	(second adj data) near10 ("same" adj memory adj cell)	USPAT; US-PGPUB;	2003/12/20 14:37
		memory adj cerry	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	6		USPAT;	2003/12/20 14:40
		data) near10 ("same" adj memory adj cell)	US-PGPUB;	
			EPO; JPO;	
i			DERWENT;	
	ا ؞؞؞ ا	data magnito /Hannatt and magnitude at 122	IBM_TDB	0000/10/00 14 :5
-	444	data near10 ("same" adj memory adj cell)	USPAT;	2003/12/20 14:47
	[		US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	957	(711/103).CCLS.	USPAT;	2003/12/20 14:40
[ ]			US-PGPUB;	1
			EPO; JPO;	
			DERWENT;	
L	<u></u>		IBM_TDB	

[-	4	(data near10 ("same" adj memory adj cell))	USPAT;	2003/12/20 14:40
		and ((711/103).CCLS.)	US-PGPUB;	
			EPO; JPO;	•
	-		DERWENT; IBM TDB	
l _	23	(data near5 (buffer\$2 or register\$2 or	USPAT;	2003/12/20 14:45
-	23	FIFO)) near10 ("same" adj memory adj cell)	US-PGPUB;	2003/12/20 14.43
		IIIO// Medilo ( Same day memory day cerr/	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	9	(different near5 data) near10 ("same" adj	USPAT;	2003/12/20 14:45
		memory adj cell)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/10/00 14 47
-	333	data near5 ("same" adj memory adj cell)	USPAT;	2003/12/20 14:47
	ļ		US-PGPUB; EPO; JPO;	l i
			DERWENT;	
			IBM TDB	
l <u> </u>	60	((stored or buffered or registered) near5	USPAT;	2003/12/20 14:48
		data) near15 ("same" adj memory adj cell)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
_	326		USPAT;	2003/12/21 11:20
		with (data adj stored)	US-PGPUB;	
			EPO; JPO;	
	İ		DERWENT;	
	001	(/EEDDOM DDOM EDDOM)	IBM_TDB	2002/12/21 11:21
_	231	((EEPROM or PROM or EPROM) near5 cell)	USPAT;	2003/12/21 11:21
		with (data adj stored)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	5811	(first adj data) near5 (stored or buffered	USPAT;	2003/12/21 11:22
	-	or written)	US-PGPUB;	·
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	54	((first adj data) near5 (stored or	USPAT;	2003/12/21 12:48
		buffered or written)) with ((second adj	US-PGPUB; EPO; JPO;	]
		data) near5 (memory adj cell))	DERWENT;	
			IBM TDB	
_	7	((first adj data) near5 (stored or	USPAT;	2003/12/21 12:49
1	<u> </u>	buffered or written)) with ("same" near5	US-PGPUB;	
		(memory adj cell))	EPO; JPO;	
			DERWENT;	
	_	<u></u>	IBM_TDB	0000/10/55 55 55
-	16		USPĀT;	2003/12/21 12:50
	j	with ("same" near5 (memory adj cell))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	n	   (first adj data) near10 sequential\$2	USPAT;	2003/12/21 12:51
		near10 ("same" near5 (memory adj cell))	US-PGPUB;	,, 12.51
		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(first adj data) with sequential\$2 with	USPAT;	2003/12/21 12:52
		("same" near5 (memory adj cell))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
l _	64	   (data) with sequential\$2 with ("same"	IBM_TDB USPAT;	2003/12/21 13:02
	04	near5 (memory adj cell))	US-PGPUB;	2003/12/21 13:02
		(momory ad) corr//	EPO; JPO;	
			DERWENT;	
			IBM TDB	
		·		

_	22	(different adj data) with ("same" near5	USPAT;	2003/12/21 13:04
		(memory adj cell))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	(data near5 (second near5 register)) with	USPAT;	2003/12/21 13:05
	}	("same" near5 (memory adj cell))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	73	(second near5 (buffered or stored or	USPAT;	2003/12/21 13:06
		registered)) with ("same" near5 (memory	US-PGPUB;	
		adj cell))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	